Index of Authors

ABBERTON, M. T. *see* COLLINS, R. P.
AGRICULTURAL RESEARCH MODELLERS' GROUP, Proceedings of the Twenty-Ninth Meeting of the Agricultural Research Modellers' Group, 113
AHN, J. H. *see* NORTON, B. W.
ANGUS, W. J. *see* FLINTHAM, J. E.
ARTHUR, P. F., HEARNSHAW, H., BARLOW, R., WILLIAMSON, P. J., STEPHENSON, P. D. and DIBLEY, K. Evaluation of Hereford and first-cross cows on three pasture systems. III. Milk yield and its influence on calf performance, 91
ATHERTON, J. G. *see* MULHOLLAND, B. J.

BARLOW, R. *see* ARTHUR, P. F.
BAR-PELED, U., MALTZ, E., TAGARI, H., LEHRER, A.-R., ROBINZON, B., VOET, H., FOLMAN, Y., BRUCKENTAL, I., GACITUA, H. and SILANIKOVE, N. Effects of frequent machine milking and suckling in early lactation on blood plasma ion homoeostasis in high-yielding dairy cows, 237
BHOGAL, A., YOUNG, S. D. and SYLVESTER-BRADLEY, R. Fate of ^{15}N-labelled fertilizer in a long-term field trial at Ropsley, UK, 49
BHOGAL, A., YOUNG, S. D., SYLVESTER-BRADLEY, R., O'DONNELL, F. M. and RALPH, R. L. Cumulative effects of nitrogen application to winter wheat at Ropsley, UK, from 1978 to 1990, 1
BISHOP, S. C. *see* SPEAKE, B. K.
BLACK, C. R. *see* MULHOLLAND, B. J.
BRACKEN, J. *see* SPEAKE, B. K.
BROCK, J. L. *see* HUME, D. E.
BRUCKENTAL, I. *see* BAR-PELED, U.

CAO, W. and MOSS, D. N. Modelling phasic development in wheat: a conceptual integration of physiological components , 163
CARR, M. K. V. *see* WRIGHT, E.
CARTON, O. T. *see* STEVENS, R. J.
CASTEJÓN-MUÑOZ, M. *see* JURADO-EXPÓSITO, M.
CASTRO, P. *see* OLIVEIRA, J. A.
CHEN, X. B., FUJIHARA, T., NAKAMURA, K., MAWUENYEGAH, P. O., FRANKLIN, M. F. and KYLE, D. J. Response of urinary and plasma purine derivatives to various rates and infusion patterns of purines in sheep nourished by intragastric infusion, 343
CLARE, R. W. *see* WEIGHTMAN, R. M.
CLARK, C. J. A. *see* JAGGARD, K. W.
CLARKE, T. *see* MOATE, P. J.
CLIFFORD, D. *see* ROMNEY, D. L.
COLLAR, J. *see* OLIVEIRA, J. A.
COLLINS, R. P., ABBERTON, M. T., MICHAELSON-YEATES, T. P. T. and RHODES, I. Response to divergent selection for stolon characters in white clover (*Trifolium repens*), 279
COLLS, J. J. *see* MULHOLLAND, B. J.
COUILLARD, D. *see* HOUNTIN, J. A.
CRAIGON, J. *see* MULHOLLAND, B. J.

DALLEY, D. E., ISHERWOOD, P., SYKES, A. R. and ROBSON, A. B. Effect of intraruminal infusion of potassium on the site of magnesium absorption within the digestive tract in sheep, 99
DALLEY, D. E., ISHERWOOD, P., SYKES, A. R. and ROBSON, A. B. Effect of *in vitro* manipulation of pH on magnesium solubility in ruminal and caecal digesta in sheep, 107
DAVIS, L. H. *see* MOATE, P. J.
DAVISON, T. M., ORR, W. N., DOOGAN, V. and MOODY, P. Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow, 219
DAVISON, T. M., ORR, W. N., SILVER, B. A., WALKER, R. G. and DUNCALFE, F. Phosphorus fertilizer for nitrogen fertilized dairy pastures. 1. Long term effects on pasture, diet and soil, 205
DAVISON, T. M. *see also* WALKER, R. G.
DERRICK, R. W. *see* WILMAN, D.
DIBLEY, K. *see* ARTHUR, P. F.
DIJKMAN, J. T. and LAWRENCE, P. R. The introduction of animal traction into inland valley regions. 3. Different cultivation techniques for maize, 77
DIJKMAN, J. T. *see also* LAWRENCE, P. R.
DOOGAN, V. *see* DAVISON, T. M.
DRAYCOTT, A. P. *see* JAGGARD, K. W.
DUNCALFE, F. *see* DAVISON, T. M.

FALCINELLI, M. *see* RUSSI, L.
FLINTHAM, J. E., ANGUS, W. J. and GALE, M. D. Heterosis, overdominance for grain yield, and alpha-amylase activity in F_1 hybrids between near-isogenic *Rht* dwarf and tall wheats, 371
FOLMAN, Y. *see* BAR-PELED, U.
FOSTER, R., POONI, H. S. and MACKAY, I. Quantitative evaluation of *Linum usitatissimum* varieties for dual-purpose traits, 179
FRANKLIN, M. F. *see* CHEN, X. B.
FUJIHARA, T. *see* CHEN, X. B., MAWUENYEGAH, P. O.

GACITUA, H. *see* BAR-PELED, U.
GALE, M. D. *see* FLINTHAM, J. E.
GARCÍA-TORRES, L. *see* JURADO-EXPÓSITO, M.
GILL, M. *see* ROMNEY, D. L.
GILLETT, A. *see* WEIGHTMAN, R. M.
GILMOUR, S. G. *see* SOLÓRZANO, V.
GIRI, G. *see* GIRIDHAR, K.
GIRIDHAR, K. and GIRI, G. Influence of chlormequat chloride (CCC) and phosphorus on growth and yield of

groundnut (*Arachis hypogaea*) during the summer season in North West India, 303
GOODCHILD, A. V. Effects of rainfall and temperature on the feeding value of barley straw in a semi-arid Mediterranean environment, 353

HAMER, P. J. C. *see* WRIGHT, E.
HAQUE, I. *see* LUPWAYI, N. Z.
HARRIS, H. C. *see* PILBEAM, C. J.
HAYNES, R. J. Micronutrient status of a group of soils in Canterbury, New Zealand, as measured by extraction with EDTA, DTPA and HCl, and its relationship with plant response to applied Cu and Zn, 325
HEARNSHAW, H. *see* ARTHUR, P. F.
HODGSON, J. *see* LI, G. D.
HOLL, F. B. *see* LUPWAYI, N. Z.
HOLMES, P. H. *see* ROMNEY, D. L.
HOSKING, B. J. *see* THOMSON, B. C.
HOUNTIN, J. A., COUILLARD, D. and KARAM, A. Soil carbon, nitrogen and phosphorus contents in maize plots after 14 years of pig slurry applications, 187
HUME, D. E. and BROCK, J. L. Morphology of tall fescue (*Festuca arundinacea*) and perennial ryegrass (*Lolium perenne*) plants in pastures under sheep and cattle grazing, 19
HUNDAL, S. S. and PRABHJYOT-KAUR, Application of the CERES-Wheat model to yield predictions in the irrigated plains of the Indian Punjab, 13

ISHERWOOD, P. *see* DALLEY, D. E.

JAGGARD, K. W., CLARK, C. J. A., MAY, M. J., MCCULLAGH, S. and DRAYCOTT, A. P. Changes in the weight and quality of sugarbeet (*Beta vulgaris*) roots in storage clamps on farms, 287
JANSEN, H. G. P. *see* LAWRENCE, P. R.
JARVIS, S. C. *see* TYSON, K. C.
JENKINSON, D. S. *see* MACDONALD, A. J.
JURADO-EXPÓSITO, M., GARCÍA-TORRES, L. and CASTEJÓN-MUÑOZ, M. Broad bean and lentil seed treatments with imidazolinones for the control of broomrape (*Orobanche crenata*), 307

KARAM, A. *see* HOUNTIN, J. A.
KEMP, P. D. *see* LI, G. D.
KENNEDY, R. *see* SOLÓRZANO, V.
KIRBY, E. J. M. and WEIGHTMAN, R. M. Discrepancies between observed and predicted growth stages in wheat, 379
KIRBY, E. J. M. *see also* WEIGHTMAN, R. M.
KLABOUCHOVÁ, A. *see* ŠIFFELOVÁ, G.
KYLE, D. J. *see* CHEN, X. B.

LABY, R. H. *see* MOATE, P. J.
LAUGHLIN, R. J. *see* STEVENS, R. J.
LAWRENCE, P. R. and DIJKMAN, J. T. The introduction of animal traction into inland valley regions. 2. Dry season cultivation and the use of herbicides in rice, 71
LAWRENCE, P. R., DIJKMAN, J. T. and JANSEN, H. G. P. The introduction of animal traction into inland valley regions. 1. Manual labour and animal traction in the cultivation of rice and maize: a comparison, 65
LAWRENCE, P. R. *see also* DIJKMAN, J. T.
LEHRER, A.-R. *see* BAR-PELED, U.
LENEHAN, J. J. *see* STEVENS, R. J.
LI, G. D., KEMP, P. D. and HODGSON, J. Biomass allocation, regrowth and root carbohydrate reserves of chicory (*Cichorium intybus*) in response to defoliation in glasshouse conditions, 447
LUPWAYI, N. Z., HAQUE, I. and HOLL, F. B. Effectiveness, competitiveness and persistence of inoculant *Rhizobium* for perennial African clovers in a highland Vertisol, 429
LUPWAYI, N. Z., HAQUE, I. and HOLL, F. B. Strain-specific response of *Trifolium semipilosum* to inoculation with *Rhizobium* and the significance of waterlogging in Vertisols, 439

MCCULLAGH, S. *see* JAGGARD, K. W.
MACDONALD, A. J., POULTON, P. R., POWLSON, D. S. and JENKINSON, D. S. Effects of season, soil type and cropping on recoveries, residues and losses of ^{15}N-labelled fertilizer applied to arable crops in spring, 125
MACKAY, I. *see* FOSTER, R.
MCNEILL, A. M. *see* PILBEAM, C. J.
MALTZ, E. *see* BAR-PELED, U.
MAWUENYEGAH, P. O., SHEM, M. N, WARLY, L. and FUJIHARA, T. Effect of supplementary feeding with protein and energy on digestion and rumination behaviour of sheep consuming straw diets, 479
MAWUENYEGAH, P. O. *see also* CHEN, X. B.
MAY, M. J. *see* JAGGARD, K. W.
MICHAELSON-YEATES, T. P. T. *see* COLLINS, R. P.
MOATE, P. J., CLARKE, T., DAVIS, L. H. and LABY, R. H. Rumen gases and bloat in grazing dairy cows, 459
MOODY, P. *see* DAVISON, T. M.
MOSELEY, G. *see* WILMAN, D.
MOSS, D. N. *see* CAO, W.
MULEBA, N., OUEDRAOGO, J. T. and TIGNEGRE, J. B. Cowpea yield losses attributed to striga infestations, 43
MULHOLLAND, B. J., CRAIGON, J., BLACK, C. R., STOKES, D. T., ZHANG, P., COLLS, J. J. and ATHERTON, J. G. Timing of critical developmental stages and leaf production in field-grown spring wheat for use in crop models, 155
MUNDIA, C. M. and YAMAMOTO, S. Day–night variation of thermoregulatory responses of heifers exposed to high environmental temperatures, 199

NAKAMURA, K. *see* CHEN, X. B.
NAŠINEC, V. *see* ŠIFFELOVÁ, G.
N'JIE, A. *see* ROMNEY, D. L.
NOBLE, R. C. *see* SPEAKE, B. K.
NORTON, B. W. and AHN, J. H. A comparison of fresh and dried *Calliandra calothyrsus* supplements for sheep given a basal diet of barley straw, 485

O'BRIC, C. J. *see* STEVENS, R. J.
ODDY, V. H. *see* THOMSON, B. C.
O'DONNELL, F. M. *see* BHOGAL, A.
OLIVEIRA, J. A., ROTTINGHAUS, G. E., COLLAR, J. and CASTRO, P. Perennial ryegrass endophytes in Galicia, Northwest Spain, 173
ORR, W. N. *see* DAVISON, T. M., WALKER, R. G.
OUEDRAOGO, J. T. *see* MULEBA, N.

PAVELKOVÁ, M. *see* ŠIFFELOVÁ, G.

PHELPS, K. *see* SOLÓRZANO, V.
PILBEAM, C. J., MCNEILL, A. M., HARRIS, H. C. and SWIFT, R. S. Effect of rotation on the recovery of ^{15}N-labelled fertilizer applied to wheat grown in Northern Syria, 397
POONI, H. S. *see* FOSTER, R.
POULTON, P. R. *see* MACDONALD, A. J.
POWLSON, D. S. *see* MACDONALD, A. J.
PRABHJYOT-KAUR, *see* HUNDAL, S. S.

RALPH, R. L. *see* BHOGAL, A.
RHODES, I. *see* COLLINS, R. P.
RICHARD, D. *see* ROMNEY, D. L.
ROBINZON, B. *see* BAR-PELED, U.
ROBSON, A. B. *see* DALLEY, D. E.
ROMNEY, D. L., N'JIE, A., CLIFFORD, D., HOLMES, P. H., RICHARD, D. and GILL, M. The influence of plane of nutrition on the effects of infection with *Trypanosoma congolense* in trypanotolerant cattle, 83
ROTTINGHAUS, G. E. *see* OLIVEIRA, J. A.
RUSSI, L. and FALCINELLI, M. Characterization and agronomic value of Italian landraces of lucerne (*Medicago sativa*), 267

SAINZ, R. D. *see* THOMSON, B. C.
SCHOLEFIELD, D. *see* TYSON, K. C.
SCOTT, R. K. *see* WEIGHTMAN, R. M.
SHARMA, A. R. Effect of integrated weed management and nitrogen fertilization on the performance of rice under flood-prone lowland conditions, 409
SHEM, M. N *see* MAWUENYEGAH, P. O.
ŠIFFELOVÁ, G., PAVELKOVÁ, M., KLABOUCHOVÁ, A., WIESNER, I. and NAŠINEC, V. Computer-aided RAPD fingerprinting of accessions from the ryegrass–fescue complex, 257
SILANIKOVE, N. *see* BAR-PELED, U.
SILVER, B. A. *see* DAVISON, T. M., WALKER, R. G.
SOLÓRZANO, V., GILMOUR, S. G., PHELPS, K. and KENNEDY, R. Assessment of suitable designs for field experiments involving airborne diseases, 249
SPEAKE, B. K., NOBLE, R. C., BRACKEN, J. and BISHOP, S. C. Responses in plasma free fatty acid composition to divergent selection for predicted carcass lean content in sheep, 193
STEPHENSON, P. D. *see* ARTHUR, P. F.
STEVENS, R. J., LAUGHLIN, R. J., O'BRIC, C. J., CARTON, O. T. and LENEHAN, J. J. The efficiency of the nitrogen in cattle slurry acidified with nitric acid for grass production, 335
STOKES, D. T. *see* MULHOLLAND, B. J.
STONE, A. C. *see* TYSON, K. C.
SWIFT, R. S. *see* PILBEAM, C. J.
SYKES, A. R. *see* DALLEY, D. E.
SYLVESTER-BRADLEY, R. *see* BHOGAL, A., WEIGHTMAN, R. M.

TAGARI, H. *see* BAR-PELED, U.
THOMSON, B. C., HOSKING, B. J., SAINZ, R. D. and ODDY, V. H. The effect of nutritional status on protein degradation and components of the calpain system in skeletal muscle of weaned wether lambs, 471
TIGNEGRE, J. B. *see* MULEBA, N.
TYSON, K. C., SCHOLEFIELD, D., JARVIS, S. C. and STONE, A. C. A comparison of animal output and nitrogen leaching losses recorded from drained fertilized grass and grass/clover pasture, 315

VOET, H. *see* BAR-PELED, U.

WALKER, R. G., DAVISON, T. M., ORR, W. N. and SILVER, B. A. Phosphorus fertilizer for nitrogen fertilized dairy pastures. 3. Milk responses to a dietary phosphorus supplement, 233
WALKER, R. G. *see also* DAVISON, T. M.
WARLY, L. *see* MAWUENYEGAH, P. O.
WEIGHTMAN, R. M., KIRBY, E. J. M., SYLVESTER-BRADLEY, R., SCOTT, R. K., CLARE, R. W. and GILLETT, A. Prediction of leaf and internode development in wheat, 385
WEIGHTMAN, R. M. *see also* KIRBY, E. J. M.
WIESNER, I. *see* ŠIFFELOVÁ, G.
WILLIAMSON, P. J. *see* ARTHUR, P. F.
WILMAN, D., DERRICK, R. W. and MOSELEY, G. Physical breakdown of chickweed, dandelion, dock, ribwort, spurrey and perennial ryegrass when eaten by sheep and when macerated, 419
WRIGHT, E., CARR, M. K. V. and HAMER, P. J. C. Crop production and water-use. IV. Yield functions for sugarbeet, 33

YAMAMOTO, S. *see* MUNDIA, C. M.
YOUNG, S. D. *see* BHOGAL, A.

ZHANG, P. *see* MULHOLLAND, B. J.

Index of Subjects

Arachis
Influence of chlormequat chloride (CCC) and phosphorus on growth and yield of groundnut (*Arachis hypogaea*) during the summer season in North West India (Giridhar and Giri), 303

Bloat
Rumen gases and bloat in grazing dairy cows (Moate *et al.*), 459
Breeding
Quantitative evaluation of *Linum usitatissimum* varieties for dual-purpose traits (Foster *et al.*), 179
Responses in plasma free fatty acid composition to divergent selection for predicted carcass lean content in sheep (Speake *et al.*), 193
Characterization and agronomic value of Italian landraces of lucerne (*Medicago sativa*) (Russi and Falcinelli), 267
Response to divergent selection for stolon characters in white clover (*Trifolium repens*) (Collins *et al.*), 279
Broomrape, *see Orobanche*

Carbohydrates
Biomass allocation, regrowth and root carbohydrate reserves of chicory (*Cichorium intybus*) in response to defoliation in glasshouse conditions (Li *et al.*), 447
Cattle
The introduction of animal traction into inland valley regions. 1. Manual labour and animal traction in the cultivation of rice and maize: a comparison (Lawrence *et al.*), 65
The introduction of animal traction into inland valley regions. 2. Dry season cultivation and the use of herbicides in rice (Lawrence and Dijkman), 71
The introduction of animal traction into inland valley regions. 3. Different cultivation techniques for maize (Dijkman and Lawrence), 77
The influence of plane of nutrition on the effects of infection with *Trypanosoma congolense* in trypanotolerant cattle (Romney *et al.*), 83
Evaluation of Hereford and first-cross cows on three pasture systems. III. Milk yield and its influence on calf performance (Arthur *et al.*), 91
Day–night variation of thermoregulatory responses of heifers exposed to high environmental temperatures (Mundia and Yamamoto), 199
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 1. Long term effects on pasture, diet and soil (Davison *et al.*), 205
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow (Davison *et al.*), 219
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 3. Milk responses to a dietary phosphorus supplement (Walker *et al.*), 233
Effects of frequent machine milking and suckling in early lactation on blood plasma ion homoeostasis in high-yielding dairy cows (Bar-Peled *et al.*), 237
Rumen gases and bloat in grazing dairy cows (Moate *et al.*), 459
Chicory, *see Cichorium*
Cichorium
Biomass allocation, regrowth and root carbohydrate reserves of chicory (*Cichorium intybus*) in response to defoliation in glasshouse conditions (Li *et al.*), 447
Climate
Effects of rainfall and temperature on the feeding value of barley straw in a semi-arid Mediterranean environment (Goodchild), 353
Clover, *see Trifolium*
Copper
Micronutrient status of a group of soils in Canterbury, New Zealand, as measured by extraction with EDTA, DTPA and HCl, and its relationship with plant response to applied Cu and Zn (Haynes), 325
Cowpea, *see Vigna*
Crops
Effects of season, soil type and cropping on recoveries, residues and losses of ^{15}N-labelled fertilizer applied to arable crops in spring (Macdonald *et al.*), 125
Timing of critical developmental stages and leaf production in field-grown spring wheat for use in crop models (Mulholland *et al.*), 155
Modelling phasic development in wheat: a conceptual integration of physiological components (Cao and Moss), 163
Assessment of suitable designs for field experiments involving airborne diseases (Solórzano *et al.*), 249

Diets
The influence of plane of nutrition on the effects of infection with *Trypanosoma congolense* in trypanotolerant cattle (Romney *et al.*), 83
Responses in plasma free fatty acid composition to divergent selection for predicted carcass lean content in sheep (Speake *et al.*), 193
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 1. Long term effects on pasture, diet and soil (Davison *et al.*), 205
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 3. Milk responses to a dietary phosphorus supplement (Walker *et al.*), 233

Effects of rainfall and temperature on the feeding value of barley straw in a semi-arid Mediterranean environment (Goodchild), 353
Physical breakdown of chickweed, dandelion, dock, ribwort, spurrey and perennial ryegrass when eaten by sheep and when macerated (Wilman *et al.*), 419
The effect of nutritional status on protein degradation and components of the calpain system in skeletal muscle of weaned wether lambs (Thomson *et al.*), 471
Effect of supplementary feeding with protein and energy on digestion and rumination behaviour of sheep consuming straw diets (Mawuenyegah *et al.*), 479
A comparison of fresh and dried *Calliandra calothyrsus* supplements for sheep given a basal diet of barley straw (Norton and Ahn), 485

Draught animals
The introduction of animal traction into inland valley regions. 1. Manual labour and animal traction in the cultivation of rice and maize: a comparison (Lawrence *et al.*), 65
The introduction of animal traction into inland valley regions. 2. Dry season cultivation and the use of herbicides in rice (Lawrence and Dijkman), 71
The introduction of animal traction into inland valley regions. 3. Different cultivation techniques for maize (Dijkman and Lawrence), 77

Endophytes
Perennial ryegrass endophytes in Galicia, Northwest Spain (Oliveira *et al.*), 173

Fescue, *see Festuca*
Festuca
Morphology of tall fescue (*Festuca arundinacea*) and perennial ryegrass (*Lolium perenne*) plants in pastures under sheep and cattle grazing (Hume and Brock), 19
Computer-aided RAPD fingerprinting of accessions from the ryegrass–fescue complex (Šiffelová *et al.*), 257

Flooding
Effect of integrated weed management and nitrogen fertilization on the performance of rice under flood-prone lowland conditions (Sharma), 409

Genetics
Quantitative evaluation of *Linum usitatissimum* varieties for dual-purpose traits (Foster *et al.*), 179
Responses in plasma free fatty acid composition to divergent selection for predicted carcass lean content in sheep (Speake *et al.*), 193
Characterization and agronomic value of Italian landraces of lucerne (*Medicago sativa*) (Russi and Falcinelli), 267
Heterosis, overdominance for grain yield, and alpha-amylase activity in F_1 hybrids between near-isogenic *Rht* dwarf and tall wheats (Flintham *et al.*), 371

Grazing
Morphology of tall fescue (*Festuca arundinacea*) and perennial ryegrass (*Lolium perenne*) plants in pastures under sheep and cattle grazing (Hume and Brock), 19

Groundnut, *see Arachis*

Growth regulators
Influence of chlormequat chloride (CCC) and phosphorus on growth and yield of groundnut (*Arachis hypogaea*) during the summer season in North West India (Giridhar and Giri), 303

Growth stages
Timing of critical developmental stages and leaf production in field-grown spring wheat for use in crop models (Mulholland *et al.*), 155
Modelling phasic development in wheat: a conceptual integration of physiological components (Cao and Moss), 163
Discrepancies between observed and predicted growth stages in wheat (Kirby and Weightman), 379
Prediction of leaf and internode development in wheat (Weightman *et al.*), 385

Heat tolerance
Day–night variation of thermoregulatory responses of heifers exposed to high environmental temperatures (Mundia and Yamamoto), 199

Herbicides
The introduction of animal traction into inland valley regions. 2. Dry season cultivation and the use of herbicides in rice (Lawrence and Dijkman), 71
Broad bean and lentil seed treatments with imidazolinones for the control of broomrape (*Orobanche crenata*) (Jurado-Expósito *et al.*), 307

Hybrids
Computer-aided RAPD fingerprinting of accessions from the ryegrass–fescue complex (Šiffelová *et al.*), 257

Lactation
Effects of frequent machine milking and suckling in early lactation on blood plasma ion homoeostasis in high-yielding dairy cows (Bar-Peled *et al.*), 237

Linseed, *see Linum*
Linum
Quantitative evaluation of *Linum usitatissimum* varieties for dual-purpose traits (Foster *et al.*), 179

Lolium
Morphology of tall fescue (*Festuca arundinacea*) and perennial ryegrass (*Lolium perenne*) plants in pastures under sheep and cattle grazing (Hume and Brock), 19
Perennial ryegrass endophytes in Galicia, Northwest Spain (Oliveira *et al.*), 173
Computer-aided RAPD fingerprinting of accessions from the ryegrass–fescue complex (Šiffelová *et al.*), 257
Physical breakdown of chickweed, dandelion, dock, ribwort, spurrey and perennial ryegrass when eaten by sheep and when macerated (Wilman *et al.*), 419

Lucerne, *see Medicago*

Magnesium
Effect of intraruminal infusion of potassium on the site of magnesium absorption within the digestive tract in sheep (Dalley *et al.*), 99
Effect of *in vitro* manipulation of pH on magnesium solubility in ruminal and caecal digesta in sheep (Dalley *et al.*), 107

Maize
The introduction of animal traction into inland valley regions. 1. Manual labour and animal traction in the cultivation of rice and maize: a comparison (Lawrence *et al.*), 65
The introduction of animal traction into inland valley regions. 3. Different cultivation techniques for maize (Dijkman and Lawrence), 77
Soil carbon, nitrogen and phosphorus contents in maize plots after 14 years of pig slurry applications (Hountin *et al.*), 187
Medicago
Characterization and agronomic value of Italian landraces of lucerne (*Medicago sativa*) (Russi and Falcinelli), 267
Milk production
Evaluation of Hereford and first-cross cows on three pasture systems. III. Milk yield and its influence on calf performance (Arthur *et al.*), 91
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow (Davison *et al.*), 219
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 3. Milk responses to a dietary phosphorus supplement (Walker *et al.*), 233
Effects of frequent machine milking and suckling in early lactation on blood plasma ion homoeostasis in high-yielding dairy cows (Bar-Peled *et al.*), 237
Minerals
Soil carbon, nitrogen and phosphorus contents in maize plots after 14 years of pig slurry applications (Hountin *et al.*), 187
Micronutrient status of a group of soils in Canterbury, New Zealand, as measured by extraction with EDTA, DTPA and HCl, and its relationship with plant response to applied Cu and Zn (Haynes), 325
Mixed pastures
A comparison of animal output and nitrogen leaching losses recorded from drained fertilized grass and grass/clover pasture (Tyson *et al.*), 315
Physical breakdown of chickweed, dandelion, dock, ribwort, spurrey and perennial ryegrass when eaten by sheep and when macerated (Wilman *et al.*), 419
Models
Application of the CERES-Wheat model to yield predictions in the irrigated plains of the Indian Punjab (Hundal and Prabhjyot-Kaur), 13
Crop production and water-use. IV. Yield functions for sugarbeet (Wright *et al.*), 33
Fate of ^{15}N-labelled fertilizer in a long-term field trial at Ropsley, UK (Bhogal *et al.*), 49
Proceedings of the Twenty-Ninth Meeting of the Agricultural Research Modellers' Group (Agricultural Research Modellers' Group), 113
Timing of critical developmental stages and leaf production in field-grown spring wheat for use in crop models (Mulholland *et al.*), 155
Modelling phasic development in wheat: a conceptual integration of physiological components (Cao and Moss), 163
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow (Davison *et al.*), 219
Assessment of suitable designs for field experiments involving airborne diseases (Solórzano *et al.*), 249
Discrepancies between observed and predicted growth stages in wheat (Kirby and Weightman), 379
Prediction of leaf and internode development in wheat (Weightman *et al.*), 385

Nitrogen
Cumulative effects of nitrogen application to winter wheat at Ropsley, UK, from 1978 to 1990 (Bhogal *et al.*), 1
The efficiency of the nitrogen in cattle slurry acidified with nitric acid for grass production (Stevens *et al.*), 335
Nitrogen fertilizers
Cumulative effects of nitrogen application to winter wheat at Ropsley, UK, from 1978 to 1990 (Bhogal *et al.*), 1
Fate of ^{15}N-labelled fertilizer in a long-term field trial at Ropsley, UK (Bhogal *et al.*), 49
Effects of season, soil type and cropping on recoveries, residues and losses of ^{15}N-labelled fertilizer applied to arable crops in spring (Macdonald *et al.*), 125
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 1. Long term effects on pasture, diet and soil (Davison *et al.*), 205
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow (Davison *et al.*), 219
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 3. Milk responses to a dietary phosphorus supplement (Walker *et al.*), 233
Effect of rotation on the recovery of ^{15}N-labelled fertilizer applied to wheat grown in Northern Syria (Pilbeam *et al.*), 397
Effect of integrated weed management and nitrogen fertilization on the performance of rice under flood-prone lowland conditions (Sharma), 409
Nitrogen leaching
A comparison of animal output and nitrogen leaching losses recorded from drained fertilized grass and grass/clover pasture (Tyson *et al.*), 315

Orobanche
Broad bean and lentil seed treatments with imidazolinones for the control of broomrape (*Orobanche crenata*) (Jurado-Expósito *et al.*), 307

Pastures
Morphology of tall fescue (*Festuca arundinacea*) and perennial ryegrass (*Lolium perenne*) plants in pastures under sheep and cattle grazing (Hume and Brock), 19
Evaluation of Hereford and first-cross cows on three pasture systems. III. Milk yield and its influence on calf performance (Arthur *et al.*), 91
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 1. Long term effects on pasture, diet and soil (Davison *et al.*), 205
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow (Davison *et al.*), 219
Phosphorus fertilizer for nitrogen fertilized dairy pastures.

3. Milk responses to a dietary phosphorus supplement (Walker *et al.*), 233
A comparison of animal output and nitrogen leaching losses recorded from drained fertilized grass and grass/clover pasture (Tyson *et al.*), 315

Pests and diseases
Cowpea yield losses attributed to striga infestations (Muleba *et al.*), 43
The influence of plane of nutrition on the effects of infection with *Trypanosoma congolense* in trypanotolerant cattle (Romney *et al.*), 83
Assessment of suitable designs for field experiments involving airborne diseases (Solórzano *et al.*), 249
Broad bean and lentil seed treatments with imidazolinones for the control of broomrape (*Orobanche crenata*) (Jurado-Expósito *et al.*), 307

Phosphorus
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 1. Long term effects on pasture, diet and soil (Davison *et al.*), 205
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 2. Long term effects on milk production and a model of phosphorus flow (Davison *et al.*), 219
Phosphorus fertilizer for nitrogen fertilized dairy pastures. 3. Milk responses to a dietary phosphorus supplement (Walker *et al.*), 233
Influence of chlormequat chloride (CCC) and phosphorus on growth and yield of groundnut (*Arachis hypogaea*) during the summer season in North West India (Giridhar and Giri), 303

Potassium
Effect of intraruminal infusion of potassium on the site of magnesium absorption within the digestive tract in sheep (Dalley *et al.*), 99

Protein
The effect of nutritional status on protein degradation and components of the calpain system in skeletal muscle of weaned wether lambs (Thomson *et al.*), 471
Effect of supplementary feeding with protein and energy on digestion and rumination behaviour of sheep consuming straw diets (Mawuenyegah *et al.*), 479

Purines
Response of urinary and plasma purine derivatives to various rates and infusion patterns of purines in sheep nourished by intragastric infusion (Chen *et al.*), 343

Quality
Changes in the weight and quality of sugarbeet (*Beta vulgaris*) roots in storage clamps on farms (Jaggard *et al.*), 287

Rhizobium
Effectiveness, competitiveness and persistence of inoculant *Rhizobium* for perennial African clovers in a highland Vertisol (Lupwayi *et al.*), 429
Strain-specific response of *Trifolium semipilosum* to inoculation with *Rhizobium* and the significance of waterlogging in Vertisols (Lupwayi *et al.*), 439

Rice
The introduction of animal traction into inland valley regions. 1. Manual labour and animal traction in the cultivation of rice and maize: a comparison (Lawrence *et al.*), 65
The introduction of animal traction into inland valley regions. 2. Dry season cultivation and the use of herbicides in rice (Lawrence and Dijkman), 71
Effect of integrated weed management and nitrogen fertilization on the performance of rice under flood-prone lowland conditions (Sharma), 409

Roots
Response to divergent selection for stolon characters in white clover (*Trifolium repens*) (Collins *et al.*), 279
Biomass allocation, regrowth and root carbohydrate reserves of chicory (*Cichorium intybus*) in response to defoliation in glasshouse conditions (Li *et al.*), 447

Rumen
Effect of intraruminal infusion of potassium on the site of magnesium absorption within the digestive tract in sheep (Dalley *et al.*), 99
Effect of *in vitro* manipulation of pH on magnesium solubility in ruminal and caecal digesta in sheep (Dalley *et al.*), 107
Rumen gases and bloat in grazing dairy cows (Moate *et al.*), 459

Ryegrass, *see Lolium*

Seeds
Broad bean and lentil seed treatments with imidazolinones for the control of broomrape (*Orobanche crenata*) (Jurado-Expósito *et al.*), 307

Sequential cropping
Effect of rotation on the recovery of ^{15}N-labelled fertilizer applied to wheat grown in Northern Syria (Pilbeam *et al.*), 397

Sheep
Effect of intraruminal infusion of potassium on the site of magnesium absorption within the digestive tract in sheep (Dalley *et al.*), 99
Effect of *in vitro* manipulation of pH on magnesium solubility in ruminal and caecal digesta in sheep (Dalley *et al.*), 107
Responses in plasma free fatty acid composition to divergent selection for predicted carcass lean content in sheep (Speake *et al.*), 193
Response of urinary and plasma purine derivatives to various rates and infusion patterns of purines in sheep nourished by intragastric infusion (Chen *et al.*), 343
Physical breakdown of chickweed, dandelion, dock, ribwort, spurrey and perennial ryegrass when eaten by sheep and when macerated (Wilman *et al.*), 419
The effect of nutritional status on protein degradation and components of the calpain system in skeletal muscle of weaned wether lambs (Thomson *et al.*), 471
Effect of supplementary feeding with protein and energy on digestion and rumination behaviour of sheep consuming straw diets (Mawuenyegah *et al.*), 479
A comparison of fresh and dried *Calliandra calothyrsus* supplements for sheep given a basal diet of barley straw (Norton and Ahn), 485

Slurries
Soil carbon, nitrogen and phosphorus contents in maize plots after 14 years of pig slurry applications (Hountin *et al.*), 187

The efficiency of the nitrogen in cattle slurry acidified with nitric acid for grass production (Stevens *et al.*), 335

Soils

Fate of ^{15}N-labelled fertilizer in a long-term field trial at Ropsley, UK (Bhogal *et al.*), 49

Effects of season, soil type and cropping on recoveries, residues and losses of ^{15}N-labelled fertilizer applied to arable crops in spring (Macdonald *et al.*), 125

Soil carbon, nitrogen and phosphorus contents in maize plots after 14 years of pig slurry applications (Hountin *et al.*), 187

Micronutrient status of a group of soils in Canterbury, New Zealand, as measured by extraction with EDTA, DTPA and HCl, and its relationship with plant response to applied Cu and Zn (Haynes), 325

The efficiency of the nitrogen in cattle slurry acidified with nitric acid for grass production (Stevens *et al.*), 335

Effectiveness, competitiveness and persistence of inoculant *Rhizobium* for perennial African clovers in a highland Vertisol (Lupwayi *et al.*), 429

Strain-specific response of *Trifolium semipilosum* to inoculation with *Rhizobium* and the significance of waterlogging in Vertisols (Lupwayi *et al.*), 439

Statistical analyses

Assessment of suitable designs for field experiments involving airborne diseases (Solórzano *et al.*), 249

Storage

Changes in the weight and quality of sugarbeet (*Beta vulgaris*) roots in storage clamps on farms (Jaggard *et al.*), 287

Straw

Effects of rainfall and temperature on the feeding value of barley straw in a semi-arid Mediterranean environment (Goodchild), 353

Effect of supplementary feeding with protein and energy on digestion and rumination behaviour of sheep consuming straw diets (Mawuenyegah *et al.*), 479

A comparison of fresh and dried *Calliandra calothyrsus* supplements for sheep given a basal diet of barley straw (Norton and Ahn), 485

Sugarbeet

Crop production and water-use. IV. Yield functions for sugarbeet (Wright *et al.*), 33

Changes in the weight and quality of sugarbeet (*Beta vulgaris*) roots in storage clamps on farms (Jaggard *et al.*), 287

Techniques

Computer-aided RAPD fingerprinting of accessions from the ryegrass–fescue complex (Šiffelová *et al.*), 257

The efficiency of the nitrogen in cattle slurry acidified with nitric acid for grass production (Stevens *et al.*), 335

Response of urinary and plasma purine derivatives to various rates and infusion patterns of purines in sheep nourished by intragastric infusion (Chen *et al.*), 343

Temperature

Day–night variation of thermoregulatory responses of heifers exposed to high environmental temperatures (Mundia and Yamamoto), 199

Effects of rainfall and temperature on the feeding value of barley straw in a semi-arid Mediterranean environment (Goodchild), 353

Trifolium

Response to divergent selection for stolon characters in white clover (*Trifolium repens*) (Collins *et al.*), 279

Effectiveness, competitiveness and persistence of inoculant *Rhizobium* for perennial African clovers in a highland Vertisol (Lupwayi *et al.*), 429

Strain-specific response of *Trifolium semipilosum* to inoculation with *Rhizobium* and the significance of waterlogging in Vertisols (Lupwayi *et al.*), 439

Vigna

Cowpea yield losses attributed to striga infestations (Muleba *et al.*), 43

Water use

Crop production and water-use. IV. Yield functions for sugarbeet (Wright *et al.*), 33

Waterlogging

Strain-specific response of *Trifolium semipilosum* to inoculation with *Rhizobium* and the significance of waterlogging in Vertisols (Lupwayi *et al.*), 439

Weeds

Effect of integrated weed management and nitrogen fertilization on the performance of rice under flood-prone lowland conditions (Sharma), 409

Physical breakdown of chickweed, dandelion, dock, ribwort, spurrey and perennial ryegrass when eaten by sheep and when macerated (Wilman *et al.*), 419

Wheat

Cumulative effects of nitrogen application to winter wheat at Ropsley, UK, from 1978 to 1990 (Bhogal *et al.*), 1

Application of the CERES-Wheat model to yield predictions in the irrigated plains of the Indian Punjab (Hundal and Prabhjyot-Kaur), 13

Timing of critical developmental stages and leaf production in field-grown spring wheat for use in crop models (Mulholland *et al.*), 155

Modelling phasic development in wheat: a conceptual integration of physiological components (Cao and Moss), 163

Heterosis, overdominance for grain yield, and alpha-amylase activity in F_1 hybrids between near-isogenic *Rht* dwarf and tall wheats (Flintham *et al.*), 371

Discrepancies between observed and predicted growth stages in wheat (Kirby and Weightman), 379

Prediction of leaf and internode development in wheat (Weightman *et al.*), 385

Effect of rotation on the recovery of ^{15}N-labelled fertilizer applied to wheat grown in Northern Syria (Pilbeam *et al.*), 397

White clover, *see Trifolium*

Yields

Application of the CERES-Wheat model to yield predictions in the irrigated plains of the Indian Punjab (Hundal and Prabhjyot-Kaur), 13

Crop production and water-use. IV. Yield functions for sugarbeet (Wright *et al.*), 33

Cowpea yield losses attributed to striga infestations (Muleba *et al.*), 43

Influence of chlormequat chloride (CCC) and phosphorus

on growth and yield of groundnut (*Arachis hypogaea*) during the summer season in North West India (Giridhar and Giri), 303

Micronutrient status of a group of soils in Canterbury, New Zealand, as measured by extraction with EDTA, DTPA and HCl, and its relationship with plant response to applied Cu and Zn (Haynes), 325

Heterosis, overdominance for grain yield, and alpha-amylase activity in F_1 hybrids between near-isogenic *Rht* dwarf and tall wheats (Flintham *et al.*), 371

Biomass allocation, regrowth and root carbohydrate reserves of chicory (*Cichorium intybus*) in response to defoliation in glasshouse conditions (Li *et al.*), 447

Zinc

Micronutrient status of a group of soils in Canterbury, New Zealand, as measured by extraction with EDTA, DTPA and HCl, and its relationship with plant response to applied Cu and Zn (Haynes), 325